Contents

Preface vii

Symposium Information viii

Contents x

Chapter 1. High magnetic fields

Magnet laboratory facilities worldwide – an update
F. Herlach and J.A.A.J. Perenboom 1

High-field installations at the Tsukuba Magnet Laboratories of NRIM
K. Inoue, T. Takeuchi, T. Kiyoshi, T. Asano, Y. Sakai, K. Itoh, G. Kido and H. Maeda 17

Solid state experiments in megagauss fields
N. Miura, H. Nojiri, Y. Shimamoto and Y. Imanaka 23

The NHMFL-early measurements and science opportunities
J.E. Crow, L. Campbell, D.M. Parkin, H.-J. Schneider-Muntau and N. Sullivan 30

Magnet technology at the NHMFL
H.-J. Schneider-Muntau 38

Composite conductors for high pulsed magnetic fields
F. Dupouy, S. Askenazy, J.P. Peyrade and D. Legat 43

Development of wire wound pulsed magnet
T. Asano, Y. Sakai, G. Kido, K. Inoue and H. Maeda 46

Chapter 2. Towards 100 T long pulses

The European 100 T project
L.J. Challis 50

The US 100 T magnet project
L.J. Campbell, Y. Eyssa, P. Gilmore, P. Pernambuco-Wise, D.M. Parkin, D.G. Rickel, J.B. Schillig and H.J. Schneider-Muntau 52

Analytical solution for pulsed field coils placed in a magnetic field
S. Askenazy 56

A non-destructive apprach to 100 T
L.v. Bockstal, N. Harrison, L. Liang, F. Herlach, F. Dupouy and S. Askenazy 65

Beyond 60 T; a fruitful staircase to long-pulse 100 T fields
J.-M. Louis, P.H. Frings and R. Gersdorf 69

Strength versus conductivity
P.H. Frings and L.v. Bockstal 73

Stress calculations and computer simulations of high pulsed field coils
F. Bolzoni and I. Suberbielle 77

Chapter 3. Magnetism of intermetallic compounds

Systematics in the 4f–3d exchange interaction in intermetallic compounds
F.R. de Boer and Z.G. Zhao 81

Influence of the f–d exchange interaction on the field-induced magnetic phase transitions in the $Y_{1-t}Gd_tCO_3$ intermetallics
H.A. Katori, I.S. Dubenko, I.Yu. Gaidukova, T. Goto, R.Z. Levitin, A.S. Markosyan and A.Yu. Sokolov 87

High field transitions in $(Fe, T)_3Ga_4$ alloys
H.J. Al-Kanani and J.G. Booth 90

Magnetic phase transition in ε-$(Mn_{1-x}Fe_3)_{3+\delta}Ge$
T. Hori, H. Niida, H. Kato, Y. Yamaguchi and Y. Nakagawa 93

Magnetic phase transitions in single crystals of Mn_5Si_3 and $(Mn, Fe)_5Si_3$
L. Vinokurova, V. Ivanov and E. Kulatov 96

Magnetic properties of $Er(Fe, Ni)_{10}Si_2$ compounds
N. Tang, D.C. Zeng, T. Zhao, Z.G. Zhao, K.H.J. Buschow and F.R. de Boer 99

Antiferromagnetic interactions in $Nd_6Fe_{12}Ga_2$-based compounds
Z.G. Zhao, C.H. de Groot, F.R. de Boer and K.H.J. Buschow 102

Field-induced phase transitions in ferrimagnetic $R_2Fe_{14}B$ in ultra-high magnetic fields
H. Kato, D.W. Lim, M. Yamada, Y. Nakagawa, H.A. Katori and T. Goto 105

Far-infrared study of field-induced phase transitions in $Y_{0.5}Lu_{0.5}FeO_3$ and $HoFeO_3$ orthoferrites
A.A. Mukhin, A.E. Egoyan, A. Wittlin, M.E.J. Boonman, A.M. Balbashov and I.Yu. Parsegov 108

High field investigation of $R_{1.03}Co_{10}Mo_{1.94}$ compounds
W. Suski, A. Gilewski, T. Mydlarz, K. Wochowski, D.A. Berezyuk and O.I. Bodak 112

High-field magnetisation of RCo_9Si_2 compounds
K.v.d. Gijp, E. Brück, K.H.J. Buschow and F.R. de Boer 115

Anomalous metamagnetic process of $TbCo_2Ge_2$ single crystal
T. Shigeoka, A. Garnier, D. Gignoux, D. Schmitt, F.Y. Zhang and J. Voiron 118

High field metamagnetic transitions of $NdCo_2Si_2$
T. Shigeoka, N. Iwata, M. Eguchi, M. Kosaka and H. Onodera 121

Magnetic anisotropy and exchange interaction in $(Er, Y)_2Co_7B_3$ compounds
Z.G. Zhao, F.R. de Boer, K.H.J. Buschow and P.F. de Châtel 124

Magnetic properties of $ThMn_{12}$-type $(Er, Y)Co_{10}Mo_2$ compounds
T. Zhao, D.C. Zeng, Z.G. Zhao, K.H.J. Buschow and F.R. de Boer 128

Field-induced transitions of RCo_3 (R = Ho, Er and Tm) in ultrahigh magnetic fields up to 100 T
T. Goto, M.I. Bartashevich, H.A. Katori, Ye.V. Shcherbakova and A.S. Yermolenko 131

Magnetic properties of B2-structure CoZr upon ball milling
G.F. Zhou and H. Bakker 134

High field magnetoresistance of UFe_4Al_8
G. Bonfait, A.P. Gonçalves, J.C. Spirlet and M. Almeida 139

High-field magnetization studies of some U_2T_2X compounds
T. Fukushima, S. Matsuyama, T. Kumada, K. Kindo, K. Prokeš, H. Nakotte, F.R. de Boer, L. Havela, V. Sechovský, J.M. Winand, J. Rebizant and J.C. Spirlet 142

Metamagnetic transition in $PrCu_2$
K. Sugiyama, P. Ahmet, M. Abliz, H. Azuma, T. Takeuchi, K. Kindo, H. Sugawara, K. Motoki, H. Ikezawa, T. Ebihara, R. Settai and Y. Ōnuki 145

The de Haas–van Alphen effect measurements of TmSb with high magnetic fields
S. Nimori, G. Kido, D.X. Li and T. Suzuki 148

Magnetic phase diagrams in cubic rare earth antiferromagnets
M. Amara, P. Morin and J. Voiron 152

Phase transitions induced by magnetic field in ferrimagnets with one unstable magnetic subsystem
P.E. Brommer, I.S. Dubenko, J.J.M. Franse, F. Kayzel, N.P. Kolmakova, R.Z. Levitin, A.S. Markosyan and A.Yu. Sokolov 155

Fermi liquid description for metamagnetic transition and high field magnetization in $Y(Co, Al)_2$
S. Misawa 158

Pressure effect of metamagnetic transition in YCo_2 and $LuCo_2$
H. Yamada 161

Metamagnetic transition in $Y_2Cu_2O_5$
M. Motokawa, K. Kita, H. Shibazaki, H. Ohta, W.J. Jang, M. Hasegawa and H. Takei 165

High field phase diagram of $Nd_{2-x}Ce_xCuO_4$ single crystals
S. Zherlitsyn, V.D. Fil, D. Finsterbusch, J. Molter, B. Wolf, G. Bruls, B. Lüthi, S.N. Barilo and D.I. Zhigunov 168

High field magnetization of a $NdCu_2$ single crystal
P. Svoboda, P. Javorský, M. Diviš, V. Sechovský, K. Prokeš, F.R. de Boer, A.V. Andreev, M.I. Bartashevich, M. Torikachvili, H. Nakotte, A. Lacerda, H. Sugawara and Y. Onuki 172

Chapter 4. Linear chains and Haldane gap systems

Magnetic phase transitions in $CuGeO_3$ in high magnetic fields
K. Uchinokura, M. Hase and Y. Sasago 175

High-field magnetization and ESR-measurement in $CuGeO_3$
H. Hori, M. Furusawa, S. Sugai, M. Honda, T. Takeuchi and K. Kindo 180

Faraday rotation and magnetization in $CuGeO_3$ in ultra-high magnetic fields
H. Nojiri, Y. Shimamoto, N. Miura, M. Hase, K. Uchinokura, H. Kojima, I. Tanaka and Y. Shibuya 184

Magnetic field effects on thermodynamic properties of the one-dimensional chiral planar model
I. Harada and S. Mori 187

Electron spin resonance experiments on an $S = 5/2$ linear chain antiferromagnet in high frequencies and fields
M. Hagiwara, K. Katsumata and J. Tuchendler 190

Effects of the single-ion-type anisotropy on the spin-1 Haldane system with a spin 1/2 impurity
M. Kaburagi and T. Tonegawa 193

High field phase transition due to $S = 1/2$ quantum effect: NMR study of $CsCuCl_3$
M. Chiba, Y. Ajiro and T. Morimoto 196

Quantum effect in the high-field phase of $CsCuCl_3$
M. Motokawa, M. Arai, H. Oha, M. Mino, H. Tanaka and K. Ubukata 199

Heat capacities of one-dimensional Heisenberg antiferromagnets under high magnetic fields
T.C. Kobayashi, A. Koda, H. Honda, C.U. Hong, K. Amaya, T. Asano, Y. Ajiro, M. Mekata and T. Yosida 205

Magnetization studies of the Haldane gap material TMNIN
G.E. Granroth, L.-K. Chou, W.W. Kim, M. Chaparala, M.J. Naughton, E. Haanappel, A. Lacerda, D. Rickel, D.R. Talham and M.W. Meisel 208

Magnetic resonances in the Haldane-gap materials NENP and NINO
S. Luther, M. von Ortenberg, J. Tuchendler and J.P. Renard 213

ESR measurements of $LiNiO_2$ in a pulsed magnetic field
H. Ohta, Y. Yamamoto, M. Sumikawa, M. Motokawa, A. Hirano and R. Kanno 217

Chapter 5. Kondo and heavy-fermion systems

Magneto-optical studies of the heavy-fermion compound CeNiSn
S.O. Hill, H. Matsui, W. Hayes, J. Singleton, S.J. Blundell, E. Bucher and H. Hol 220

High-field magnetism of Kondo semiconductors CeNiSn and CeRhSb
K. Sugiyama, T. Inoue, K. Oda, T. Takabatake, H. Tanaka, H. Fujii, K. Kindo and M. Date 223

Studies of the Kondo insulator $Ce_3Bi_4Pt_3$ in 61 T pulsed magnetic fields
G.S. Boebinger, A. Passner, P.C. Canfield and Z. Fisk 227

Concentration dependence of the pseudometamagnetic field in heavy fermion $Ce_{1-x}Y_xRu_2Si_2$
P. Haen, A. de Visser and F. Lapierre 230

Superconductivity and high field phases in heavy fermion systems
B. Wolf, G. Bruls, D. Finsterbusch, I. Kouroudis and B. Lüthi 233

Chapter 6. Superconductivity

Measurement of the de Haas–van Alphen oscillations in YBCO using pulsed ultra-high magnetic fields
A.I. Bykov, M.I. Dolotenko, N.P. Kolokolchikov, Yu.B. Kudasov, V.V. Platonov, O.M. Tatsenko, A.I. Golovashkin, O.M. Ivanenko and K.V. Mitsen 241

Torque measurements on $NbSe_2$
S. Rettenberger, E. Steep, F. Meyer, A.G.M. Jansen, W. Joss, P. Wyder, W. Biberacher, E. Bucher and C.S. Oglesby 244

Complex microwave conductivity of $YBa_2Cu_3O_7$ in magnetic fields up to 500 T
A.I. Bykov, M.I. Dolotenko, C.M. Fowler, B.L. Freeman, J.D. Goettee, J.C. King, N.P. Kolokolchikov, Yu.B. Kudasov, W. Lewis, B.R. Marshall, B.J. Papatheofanis, V.V. Platonov, P.J. Rodriguez, O.M. Tatsenko, L.R. Veeser and W.D. Zerwekh 248

Observation of the peak effect at high fields in single crystalline $YBa_2Cu_4O_8$
N. Harrison, J. Vanacken, A.S. Lagutin and F. Herlach 251

Anomalous temperature dependence of H_{c2} in BiSrCuO
J.M. Broto, H. Rakoto, J.C. Ousset, G. Coffe, S. Askenazy, M.S. Osofsky, R.J. Soulen Jr., S.A. Wolf, P. Pari, I. Bozovic, J.N. Eckstein and G.F. Virshup 254

Influence of magnetic field on AC susceptibility of $GdBa_2Cu_3O_{6+\delta}$ single crystals
Yu.A. Genenko, G.G. Levchenko and V.N. Varyukhin 257

Josephson plasma edge in $La_{1.85}Sr_{0.15}CuO_4$
P.J.M. van Bentum, A.M. Gerrits, M.E.J. Boonman, A. Wittlin, V.H.M. Duijn and A.A. Menovsky 260

Peak effect in the magnetostriction of superconducting NbTi due to elastic constants
U. Wyder, P.J.E.M. van der Linden, H.P. van der Meulen, A. Gerber, V.H.M. Duijn, J.A.A.J. Perenboom, A. de Visser and J.J.M. Franse 265

Specific heat of $PbMo_6S_8$ in high magnetic field
H.P. van der Meulen, J.A.A.J. Perenboom, T.T.J.M. Berendschot, J. Cors, M. Decroux and Ø. Fischer 269

Dependence of critical current densities in Chevrel phase superconducting wires on magnetic fields up to 25 T
A. Gupta, N. Cheggour, M. Decroux, J.A.A.J. Perenboom, V. Bouquet, P. Langlois, H. Massat, R. Flükiger and Ø. Fischer 272

Chapter 7. Organic (super)conductors

Fermi surface studies of low-dimensional organic conductors based on BEDT–TTF
J. Singleton, J. Caulfield, S. Hill, S. Blundell, W. Lubczynski, A. House, W. Hayes, J. Perenboom, M. Kurmoo and P. Day 275

Transport properties and giant Shubnikov–de Haas oscillations in the first organic conductor with metal complex anion containing selenocyanate ligand, $(ET)_2TlHg(SeCN)_4$
V.N. Laukhin, A. Audouard, H. Rakoto, J.M. Broto, F. Goze, G. Coffe, L. Brossard, J.P. Redoules, M.V. Kartsovnik, N.D. Kushch, L.I. Buravov, A.G. Khomenko, E.B. Yagubskii, S. Askenazy and P. Pari 282

Effect of the cooling rate on the transverse magnetoresistance of $(TSeT)_2Cl$ in its charge-density wave ground state
F. Goze, A. Audouard, L. Brossard, V.N. Laukhin, J.P. Ulmet, S. Askenazy, M.L. Doublet, E. Canadell, J.P. Pouget, V.E. Zavodnik, R.P. Shibaeva, B. Hilti and C.W. Mayer 286

Angular and magnetic field dependencies of the magnetoresistance of λ-$(BETS)_2FeCl_4$ in the field-restored high conductivity state
F. Goze, V.N. Laukhin, L. Brossard, A. Audouard, J.P. Ulmet, S. Askenazy, T. Naito, H. Kobayashi, A. Kobayashi, M. Tokumoto and P. Cassoux 290

Uniaxial stress study of the transport properties of the quasi-two-dimensional organic superconductor
C.E. Campos, J.S. Brooks, P.J.M. van Bentum, J.A.A.J. Perenboom, S.J. Klepper, P. Sandhu, M. Tokumoto, T. Kinoshite, Y. Tanaka and H. Anzai 293

The Peierls transition under high magnetic field
G. Bonfait, M.J. Matos, R.T. Henriques and M. Almeida 297

Quantum Hall effect and reentrant phase transition in the Bechgaard salt $(TMTSF)_2ClO_4$ in very high magnetic field
A.S. Rozhavsky 300

High field magnetoresistance of $(TMTSF)_2NO_3$: Phase transitions and quantum oscillations
A. Audouard, F. Goze, J.P. Ulmet, L. Brossard, S. Askenazy and J.M. Fabre 303

Chapter 8. Magnetism and techniques

Cosmic magnetic fields
J. Kuijpers 306

Magnetisation of liquid ^3He in high magnetic fields
A.S. van Steenbergen, S.A.J. Wiegers, M. Bravin and P.E. Wolf 316

Magnetic field effects on fractal morphology in electrochemical deposition
I. Mogi, M. Kamiko and S. Okubo 319

High frequency electron spin resonance in $Er_m@C_{2n}$
M.E.J. Boonman, P.H.M. van Loosdrecht, D.S. Bethune, I. Holleman, G.J.M. Meijer and P.J.M. van Bentum 323

Spin density wave and field induced phase transitions in magnetoelectric antiferromagnets
A.M. Kadomtseva, Yu.F. Popov, G.P. Vorob'ev and A.K. Zvezdin 327

Order parameter dynamics near the Lifshitz point in a ferroelectric liquid crystal
I. Muševič, B. Žekš, R. Blinc, M.M. Wittebrood and Th. Rasing 331

Magnetic and transport properties of Ho/Zr multilayers
B. Raquet, A. Sdaq, J.M. Broto, H. Rakoto, J.C. Ousset, S. Askenazy, A. Baudry, P. Boyer, M.C. Luche and A. Khmou 335

Mean field analysis of high field magnetization curves of glasses: structure of magnetic aggregates
S.K. Mendiratta and M.A. Valente 338

Magnetic rotation of diamagnetic oxide crystals and the origin of diamagnetic anisotropies
C. Uyeda, T. Yamanaka and Y. Miyako 342

Magnetically aligned polycrystalline dysprosium as ultimate saturation ferromagnet for high magnetic field polepieces
V. Stepankin 345

An accurate pulsed field hystersograph
R. Grössinger, D. Eckert, E.H.C.P. Sinnecker, M. Taraba and G.W. Jewell 348

Quantum oscillations of ellipticity and rotation of the polarization plane of ultrasound in high magnetic field
V.V. Gudkov, V.I. Okulov, I.V. Zhevstovskikh and N.A. Zimbovskaya 351

A digital lock-in-technique for pulsed magnetic field experiments
G. Machel and M. von Ortenberg 355

Recent developments in high field CW ESR spectroscopy
L.-C. Brunel 360

Magnetic field independent capacitance thermometers at very low temperatures
F.C. Penning, M.M. Maior, P. Strehlow, S.A.J. Wiegers, H. van Kempen and J.C. Maan 363

Design of a dilution refrigerator and sample holder operating in pulsed field
P. Pari, P. Forget, Ph. Hernandez, F. Ladieu, M. Sanquer, I.M. Broto, H. Rakoto, G. Coffe and S. Askenazy 366

Miniature high pressure cells for high magnetic field applications
M.I. Eremets, V.V. Struzhkin and A.N. Utjuzh 369

Chapter 9. Magnetic semiconductors

Magnetization and spin-lattice relaxation in semimagnetic semiconductors at high magnetic fields
A.M. Witowski, T. Strutz, Ch. Kutter and P. Wyder 372

The complex structure of Fe^{2+} ($3d^6$) magnetism in $HgSe_{1-y}S_y$ mixed crystals
K. Dybko, A. Łusakowski, J. Kossut, P.J.E.M. van der Linden, A. Wittlin, J.A.A.J. Perenboom and A. Mycielski 378

The high field magnetisation of the mixed-valence system HgSe:Fe
U. Zeitler, S.A.J. Wiegers, M.R.C. Overkamp, A. Wittlin, J.C. Maan, W. Dobrowolski and A. Mycielski 381

FIR absorption of $Zn_{1-x}Cr_xS$
W. Mac, A. Twardowski, M.E.J. Boonman, A. Wittlin, R. Krevet, M. von Ortenberg and M. Demianiuk 384

High magnetic field spin resonance in II–VI diluted magnetic semiconductors
J.L. Martin, M. Goiran, Z. Golacki, J. Leotin and S. Askenazy 388

Nonlinear Faraday effect in CdS semiconductor in an ultrahigh magnetic field
V.V. Druzhinin, O.M. Tatsenko, A.I. Bykov, M.I. Dolotenko, N.P. Kolokol'chikov, Yu.B. Kudasov, V.V. Platonov, C.M. Fowler, B.L. Freeman, J.D. Goettee, J.C. King, W. Lewis, B.R. Marshall, B.J. Papatheofanis, P.J. Rodriguez, L.R. Veeser and W.D. Zerwekh 392

Chapter 10. The 2-dimensional electron gas

How real are composite fermions
W. Kang, H.L. Stormer, L.N. Pfeiffer, K.W. Baldwin and K.W. West 396

Phonon studies of the fractional quantum Hall effect
C.J. Mellor, J.E. Digby, R.H. Eyles, A.J. Kent, K.A. Benedict, L.J. Challis, M. Henini, C.T. Foxon and J.J. Harris 400

Photoluminescence of excitons in the incompressible quantum liquid
D. Heiman, F. Plentz, A. Pinczuk, K.W. West and L.N. Pfeiffer 404

Competition beween the collective solidification and single-particle localization in the 2D electron system
V.M. Pudalov 407

Temperature induced insulator–metal–QHE transitions
S.V. Kravchenko, W. Mason, J.E. Furneaux, J.M. Caulfield, J. Singleton and V.M. Pudalov 410

Thermoelectric power in the quantum-Hall regime at very low temperatures
B. Tieke, R. Fletcher, S.A.J. Wiegers, U. Zeitler, J.C. Maan, C.T. Foxon and J.J. Harris 414

Studies of the extreme quantum limit of 2D hole systems
B.L. Gallagher, P.J. Rodgers, C.J.G.M. Langerak, P.A. Crump, M. Henini, G. Hill, S.A.J. Wiegers, J.A.A.J. Perenboom, Y. Ponomarev and A. Usher 417

Tunneling across incompressible strip at the edge
N.B. Zhitenev, R.J. Haug, K.v. Klitzing and K. Eberl 420

Resonant magnetotunneling via quantum confined states
P.H. Beton, J. Wang, N. Mori, L. Eaves, H. Buhmann, L. Mansouri, P.C. Main, T.J. Foster and M. Henini 423

Tunnelling between two-dimensional electron gases up to 25 T
K.M. Brown, J.T. Nicholls, B. Tieke, S.A.J. Wiegers, P.J.M. van Bentum, E.H. Linfield, M. Pepper, D.A. Ritchie and G.A.C. Jones 430

Resonant tunnelling through a single impurity in high magnetic fields: Probing a two-dimensional electron gas on a nanometre scale
P.J. McDonnell, A.K. Geim, P.C. Main, T.J. Foster, P.H. Beton and L. Eaves 433

Universal conductance fluctuations in a multi-subband quantum well
H.A. Carmona, A.K. Geim, C.J.G.M. Langerak, T.J. Foster, C.V. Brown, P.C. Main and S.P. Beaumont 437

High magnetic field millimetre and submillimetre spectroscopy of ultra-high mobility 2D hole systems
S. Hill, B.E. Cole, J. Singleton, J.M. Chamberlain, P.J. Rodgers, T.J.B.M. Janssen, P.A. Pattenden, B.L. Gallagher, G. Hill and M. Henini 440

Magnetic levels and interband absorption in quantum well wires
G. Goldoni and A. Fasolino 444

Magneto-Raman resonances in quantum wells: excitonic effects
L. Viña, J.M. Calleja, A. Cros, A. Cantarero, T.T.J.M. Berendschot, J.A.A.J. Perenboom and K. Ploog 447

Magnetotransport investigation of a GaSb/InAs/GaSb quantum well in pulsed magnetic fields
R. Bogaerts, F. Herlach, B.J. van Wees and G. Borghs 451

Magnetotransport properties of Si-δ-doped InSb layers grown on GaAs
A. De Keyser, R. Bogaerts, L. Van Bockstal, W. Hoeks, F. Herlach, V.C. Karavolas, F.M. Peeters, W. van de Graaf and G. Borghs 455

Diamagnetic SdH effect in cross and parallel current/magnetic field directions in Si-δ-doped GaAs
A.F.W. van de Stadt, R. Bogaerts, P.M. Koenraad, H. Leopold, F. Herlach and J.H. Wolter 458

Electron mobility in Si delta doped GaAs
P.M. Koenraad, A.F.W. van de Stadt, J.M. Shi, G.Q. Hai, N. Studart, P. Vansant, F.M. Peeters, J.T. Devreese, J.A.A.J. Perenboom and J.H. Wolter 462

Cyclotron resonance of 2D electrons at Si-δ-doped InSb layers grown on GaAs
L. Van Bockstal, M. Mahy, A. De Keyser, W. Hoeks, F. Herlach, F.M. Peeters, W. van de Graaf and G. Borghs 466

Cyclotron resonance of low concentration 2D electron gases in GaAs/AlGaAs heterostructures
M. Seck, M. Potemski, S. Huant, P. Wyder and G. Wiemann 470

Sensitive torsional magnetometer for use with small samples: The 2DEG magnetisation revisited
S.A.J. Wiegers, J.C. Maan and C.T. Foxon 474

Quantization induced decrease of the Hall effect for a non-degenerate two-dimensional electron gas in high magnetic fields
P.J.M. Peters, P. Scheuzger, M.J. Lea, Yu.P. Monarkha, P.K.H. Sommerfeld and R.W. van der Heijden 477

Magnetoconductance of two-dimensional electron systems in high magnetic fields
O. Tress, P. Scheuzger, H. Bluyssen and P. Wyder 481

List of Contributors 485

Subject Index 489